

QINEO Micro Pulse



QINEO Micro Pulse – compact and powerful

Infinitely adjustable MIG/MAG welding power sources



oiuso

QINEO Micro Pulse

300 A 35% duty cycle





QINEO Micro Pulse – compact and powerful

The infinitely adjustable mobile MIG/MAG welding machines QINEO Micro/Micro Pulse are easy to handle, flexible in use and powerful in performance. These synergy-based welding machines are designed for precision work with high-quality results. You will be impressed by the optimum power and weight ratio of the QINEO Micro/Micro Pulse. The handy welding power sources can be quickly and easily installed by the welder on any welding or construction site, when repairing vehicles or for industrial use.

- Versatile applications: A solution for all welding tasks
- **Synergy mode:** Quick setting of the welding parameters
- **Easy to use:** Synergy characteristic curves are included in the delivery
- **Optimum power and weight ratio** Light, easy to use and very powerful
- **Robust construction:** High level of stability of the devices

2 < CLOOS














| Micro Pulse | QINEO Micro Pulse 300 |
|-------------------------------------|--------------------------|
| Welding current | 20 A - 300 A |
| Welding current at 35 % duty cycle | 300 A |
| Welding current at 100 % duty cycle | 200 A |
| Open circuit voltage | 60 V |
| Mains voltage (plug 5-pol. CEE) | 3 x 400 V |
| Connection cable | 4 x 2.5 mm ² |
| Mains fuse slow-acting | 16 A |
| Type of protection | IP 23 S |
| Insulation class | Н |
| Kind of cooling (torch) | Gas cooled, water cooled |
| Dimensions L/W/H mm | 560 x 280 x 390 |
| Weight | 24 kg |

 * at an ambient temperature of 40°C

Weld your way. > 3

All over the world!



Carl Cloos Schweisstechnik GmbH Main office: Carl-Cloos-Strasse 1 Central warehouse: Carl-Cloos-Strasse 6 35708 Haiger GERMANY

Tel.: +49 (0)2773 85-0 Fax: +49 (0)2773 85-275 E-mail info@cloos.de

